

Index

- Arnoldi's algorithm, 119, 303, 305, 320, 360, 388, 389
- ARPACK, 385
- backward error, *see* backward stability
- backward stability, 4
 - bisection, 230, 247
 - Cholesky, 76, 80, 253, 263
 - convergence criterion, 164
 - direct versus iterative methods for $Ax = b$, 31
 - eigenvalue problem, 123
 - Gaussian elimination, 41
 - GEPP, 41, 46, 49
 - Gram–Schmidt, 108, 134
 - instability of Cramer's rule, 87
 - Jacobi's method for $Ax = \lambda x$, 242
 - Jacobi's method for the SVD, 263
 - Jordan canonical form, 146
 - Lanczos algorithm, 306, 321
 - linear equations, 44, 49
 - normal equations, 118
 - orthogonal transformations, 124
 - polynomial evaluation, 16
 - QR decomposition, 118, 119, 123
 - secular equation, 224
 - single precision iterative refinement, 60
 - Strassen's method, 69, 86
 - substitution, 26
 - SVD, 118, 119, 123, 128
- band matrices
 - linear equations, 73, 76–79, 81, 82
 - symmetric eigenproblem, 185
- Bauer–Fike theorem, 150
- biconjugate gradients, 321
- bidiagonal form, 131, 240, 308, 357
 - condition number, 87
 - dqds algorithm, 242
 - LR iteration, 242
 - perturbation theory, 207, 242, 245, 246, 263
 - qds algorithm, 242
 - QR iteration, 242
 - reduction, 166, 240, 253
 - SVD, 246, 260
- bisection
 - finding zeros of polynomials, 7, 30
 - SVD, 241, 242, 247, 249
 - symmetric eigenproblem, 119, 201, 210, 211, 228, 236, 241, 260
- BLAS (Basic Linear Algebra Subroutines), 28, 64–72, 83, 86
 - in Cholesky, 76, 91
 - in Hessenberg reduction, 165
 - in Householder transformations, 137
 - in nonsymmetric eigenproblem, 184, 185
 - in QR decomposition, 121
 - in sparse Gaussian elimination, 84
- block algorithms
 - Cholesky, 64, 76, 91
 - Gaussian elimination, 70–72
 - Hessenberg reduction, 165
 - Householder reflection, 137
 - matrix multiplication, 66
 - nonsymmetric eigenproblem, 184, 185
 - QR decomposition, 121, 137
 - sparse Gaussian elimination, 83

- block cyclic reduction, 266, 328–331, 333, 357
 - model problem, 277
- boundary value problem
 - one-dimensional heat equation, 77
 - Dirichlet, 267
 - eigenproblem, 270
 - L-shaped region, 349
 - Poisson’s equation, 267, 325, 349
 - Toda lattice, 255
- bulge chasing, 169, 171, 213
- canonical form, 139, 140, 145
 - generalized Schur for real regular pencils, 179, 185
 - generalized Schur for regular pencils, 178, 180, 185
 - generalized Schur for singular pencils, 180, 185
 - Jordan, 3, 19, 140, 141, 144–146, 150, 175, 176, 178, 180, 184, 185, 188, 280
 - Kronecker, iv, 179–182, 185, 187
 - polynomial, 19
 - real Schur, 147, 163, 184, 213
 - Schur, 3, 140, 146–148, 152, 158, 160, 163, 175, 178, 180, 184, 185, 187, 188
 - Weierstrass, iv, 173, 175, 176, 178, 180, 181, 185, 187
- CAPSS, 84
- Cauchy interlace theorem, 261, 369
- Cauchy matrices, 85
- Cayley transform, 264
- Cayley–Hamilton theorem, 296
- CG, *see* conjugate gradients 306
- CGS, *see* Gram–Schmidt orthogonalization process (classical); conjugate gradients squared
- characteristic polynomial, 140, 149, 296
 - companion matrix, 302
 - of $A - \lambda B$, 173
 - of $R_{SOR(\omega)}$, 290
 - of a matrix polynomial, 182
 - secular equation, 218, 225, 231
- Chebyshev acceleration, 279, 294–300, 331
 - model problem, 277
- Chebyshev polynomial, 296, 314, 330, 357, 358
- Cholesky, 2, 74–76, 253
 - band, 2, 77, 78, 277
 - block algorithm, 64, 91
 - condition number, 88
 - conjugate gradients, 308
 - definite pencils, 179
 - incomplete (as preconditioner), 319
 - LINPACK, 62
 - LR iteration, 243, 263
 - mass spring system, 179
 - model problem, 277
 - normal equations, 107
 - of T_N , 270, 357
 - on a Cray YMP, 62
 - sparse, 80, 81, 277
 - symmetric eigenproblem, 253, 263
 - tridiagonal, 78, 331
- CLAPACK, 61, 86, 88
- companion matrix, 183, 302
 - block, 183
- computational geometry, 139, 175, 184, 187, 191
- condition number, 2, 4, 5
 - convergence of iterative methods, 285, 312, 314, 317, 320, 351
 - distance to ill-posedness, 17, 19, 23, 33, 86, 152
 - equilibration, 61
 - estimation, 50
 - infinite, 17, 148
 - iterative refinement of linear systems, 58
 - least squares, 101, 102, 106, 108,

- 117, 125, 126, 128, 129, 134
- linear equations, 32–38, 46, 50, 87, 89, 105, 124, 132, 146
- nonsymmetric eigenproblem, 32, 148–153, 189
- Poisson’s equation, 269
- polynomial evaluation, 15–17, 24
- polynomial roots, 28, 29
- preconditioning, 317
- rank-deficient least squares, 101, 125, 126, 128, 129
- relative, for $Ax = b$, 35, 54, 60
- symmetric eigenproblem, 197
- conjugate gradients, 266, 278, 301, 306–319, 351
 - convergence, 306, 312, 352
 - model problem, 277
 - preconditioning, 317, 351, 354
- conjugate gradients squared, 321
- conjugate gradients stabilized, 321
- conjugate transpose, 1
- conservation law, 255, 256
- consistent ordering, 293
- controllable subspace, 182, 187
- convolution, 324, 326
- Courant–Fischer minimax theorem, 198, 199, 201, 261
- Cray, 13, 14
 - 2, 226
 - C90/J90, 13, 62, 82, 226
 - extended precision, 27
 - roundoff error, 12, 25, 26, 224, 226
 - square root, 26
 - T3 series, 12, 62, 82
 - YMP, 62, 64
- DAEs, *see* differential algebraic equations
- DEC
 - symmetric multiprocessor, 62, 82
 - workstations, 10, 12, 14
- deflation, 221
 - during QR iteration, 214
 - in secular equation, 221, 237, 262
- diagonal dominance, 91, 388
 - convergence of Jacobi and Gauss–Seidel, 286–294
 - weak, 289
- differential algebraic equations, 175, 178, 185
- divide-and-conquer, 13, 195, 211, 212, 217–228, 231, 236
 - SVD, 133, 241, 242
- domain decomposition, 266, 285, 317, 319, 348–357, 361
- dqds algorithm, 195, 243
- eigenvalue, 140
 - generalized nonsymmetric eigenproblem, 173
 - algorithms, 173–184
 - nonsymmetric eigenproblem
 - algorithms, 153–173, 184
 - perturbation theory, 148–153
 - symmetric eigenproblem
 - algorithms, 210–237
 - perturbation theory, 197–210
- eigenvector, 140
 - generalized nonsymmetric eigenproblem, 174
 - algorithms, 173–184
 - nonsymmetric eigenproblem
 - algorithms, 153–173, 184
 - of Schur form, 148
 - symmetric eigenproblem
 - algorithms, 210–237
 - perturbation theory, 197–210
- EISPACK, 62
- equilibration, 37, 61
- equivalence transformation, 175
- fast Fourier transform, 266, 278, 319, 321–328, 333, 348, 351, 352, 357, 359–361
 - model problem, 277
- FFT, *see* fast Fourier transform

- floating point arithmetic, 2, 5, 9, 23
 - ∞ , 12, 28, 231
 - complex numbers, 11, 26
 - cost of comparison, 50
 - cost of division, square root, 245
 - cost versus memory operations, 63
 - Cray, 13, 26, 27, 226
 - exception handling, 12, 28, 231
 - extended precision, 14, 27, 45, 60, 224
 - IEEE standard, 10, 241
 - interval arithmetic, 14, 45
 - Lanczos algorithm, 377
 - machine epsilon, machine precision, macheps, 11
 - NaN (Not a Number), 12
 - normalized numbers, 9
 - overflow, 11
 - roundoff error, 11
 - subnormal numbers, 11
 - underflow, 11
- flops, 5
- Gauss–Seidel, 266, 278, 279, 282–283, 285–294, 357
 - in domain decomposition, 355
 - model problem, 277
- Gaussian elimination, 31, 38–44
 - band matrices, 76–79
 - block algorithm, 31, 61–73
 - error bounds, 31, 44–58
 - GECP, 46, 49, 55, 56, 88
 - GEPP, 46, 49, 55, 56, 87, 88, 132
 - iterative refinement, 31, 58–61
 - pivoting, 45
 - sparse matrices, 79–83
 - symmetric matrices, 76
 - symmetric positive definite matrices, 74–76
- Gershgorin’s theorem, 79, 91, 150
- Givens rotation, 119, 121–123
 - error analysis, 123
 - in GMRES, 321
 - in Jacobi’s method, 233, 251
 - in QR decomposition, 121, 135
 - in QR iteration, 167, 168
- GMRES, 306, 320
 - restarted, 321
- Gram–Schmidt orthogonalization process, 107, 377
 - Arnoldi’s algorithm, 304, 320
 - classical, 107, 119, 134
 - modified, 107, 119, 134, 231
 - QR decomposition, 107, 119
 - stability, 108, 118, 134
- graph
 - bipartite, 286, 291
 - directed, 288
 - strongly connected, 289
- guptri (generalized upper triangular form), 186
- Hessenberg form, 163, 184, 213, 302, 360
 - double shift QR iteration, 170, 172
 - implicit Q theorem, 167
 - in Arnoldi’s algorithm, 303, 304, 388, 389
 - in GMRES, 320
 - QR iteration, 165, 167–173, 183
 - reduction, 164–166, 212, 303, 389
 - single shift QR iteration, 168
 - unreduced, 166
- Hilbert matrix, 85
- Householder reflection, 119–123, 135
 - block algorithm, 133, 137, 165
 - error analysis, 123
 - in bidiagonal reduction, 166, 252
 - in double shift QR iteration, 170
 - in Hessenberg reduction, 212
 - in QR decomposition, 119, 134, 135, 157
 - in QR decomposition with pivoting, 132
 - in tridiagonal reduction, 213

- HP workstations, 10
- IBM
 - 370, 9
 - RS6000, 5, 14, 27, 68, 95, 133, 184, 236
 - SP-2, 62, 82
 - workstations, 10
- ill-posedness, 17, 23, 33, 34, 86, 148
- implicit Q theorem, 167
- impulse response, 178
- incomplete Cholesky, 319
- incomplete LU decomposition, 319
- inertia, 202, 208, 228, 247
- Intel
 - 8086/8087, 14
 - Paragon, 62, 73, 82
 - Pentium, 14, 60
- invariant subspace, 145, 147, 153, 154, 156–158, 189, 207
- inverse iteration, 155, 162
 - SVD, 242
 - symmetric eigenproblem, 119, 211, 215, 228–232, 236, 237, 241, 260, 363
- inverse power method, *see* inverse iteration
- irreducibility, 286, 288–290
- iterative methods
 - for $Ax = \lambda x$, 363–389
 - for $Ax = b$, 265–361
 - convergence rate, 281
 - splitting, 279
- Jacobi’s method (for $Ax = \lambda x$), 195, 210, 212, 232–237, 260, 263
- Jacobi’s method (for $Ax = b$), 278, 279, 281–282, 285–294, 357
 - in domain decomposition, 355
 - model problem, 277
- Jacobi’s method (for the SVD), 242, 249–254, 263
- Jordan canonical form, 3, 19, 140, 141, 144–146, 150, 175, 176, 178, 180, 184, 185, 188, 280
- instability, 146, 178
 - solving differential equations, 176
- Korteweg–de Vries equation, 260
- Kronecker Canonical Form, iv, 182
- Kronecker canonical form, 179–181, 185, 187
 - solving differential equations, 181
- Kronecker product, 274, 358
- Krylov subspace, 266, 278, 300–321, 351, 354, 360, 363–389
- Lanczos algorithm, 119, 304–306, 308, 310, 320, 360, 364–389
 - nonsymmetric, 321, 388
- LAPACK, 6, 61, 62, 86, 87, 153
 - diamch, 13
 - sbdsdc, 242
 - sbdsqr, 242, 243
 - sgebrd, 167
 - sgeequ, 61
 - sgees(x), 153
 - sgeesx, 185
 - sgees, 185
 - sgeev(x), 153
 - sgeevx, 185
 - sgeev, 185
 - sgehrd, 165
 - sgelqf, 132
 - sgelss, 133
 - sgels, 121
 - sgelqf, 132
 - sgeqpf, 132, 133
 - sgeqrf, 137
 - sgerfs, 61
 - sgerqf, 132
 - sgesvx, 35, 53, 54, 57, 61, 88
 - sgesv, 88
 - sgetf2, 72, 88
 - sgetrf, 72, 88
 - sggesx, 185
 - sgges, 179, 185
 - sggevx, 185
 - sggev, 185
 - sgglse, 138

- slacon, 53
- slaed3, 227
- slaed4, 222, 224
- slahqr, 164
- slamch, 13
- slatms, 90
- spotrf, 76
- sptsv, 79
- ssbsv, 77
- sspsv, 77
- sstebz, 231, 237
- sstein, 231
- ssteqr, 214
- ssterf, 214
- sstevd, 211, 217
- sstev, 211
- ssyevd, 217, 236
- ssyevx, 212
- ssyev, 211, 214
- ssygv, 179, 185
- ssysv, 76
- ssytrd, 166
- strevc, 148
- strsen, 153
- strsna, 153
- LAPACK++, 61
- LAPACK90, 61
- Laplace's equation, 265
- least squares, 101–138
 - condition number, 117–118, 125, 126, 128, 134
 - in GMRES, 321
 - normal equations, 105–107
 - overdetermined, 2, 101
 - performance, 132–133
 - perturbation theory, 117–118
 - pseudoinverse, 127
 - QR decomposition, 105, 107–109, 114, 121
 - rank-deficient, 125–132
 - failure to recognize, 132
 - pseudoinverse, 127
 - roundoff error, 123–124
 - software, 121
- SVD, 105, 109–117
 - underdetermined, 2, 101, 136
 - weighted, 135
- linear equations
 - Arnoldi's method, 320
 - band matrices, 73, 76–79, 81, 82
 - block algorithm, 61–73
 - block cyclic reduction, 328–331
 - Cauchy matrices, 85
 - Chebyshev acceleration, 279, 294–300
 - Cholesky, 74–76, 277
 - condition estimation, 50
 - condition number, 32–38
 - conjugate gradients, 307–321
 - direct methods, 31–92
 - distance to ill-posedness, 33
 - domain decomposition, 319, 348–357
 - error bounds, 44–58
 - fast Fourier transform, 321–328
 - FFT, *see* fast Fourier transform
 - Gauss–Seidel, 279, 282–294
 - Gaussian elimination, 38–44
 - with complete pivoting (GECF), 41, 50
 - with partial pivoting (GEPP), 41, 49, 87
 - iterative methods, 265–361
 - iterative refinement, 58–61
 - Jacobi's method (for $Ax = b$), 279, 281–282, 285–294
 - Krylov subspace methods, 300–321
 - LAPACK, 88
 - multigrid, 331–348
 - perturbation theory, 32–38
 - pivoting, 44
 - relative condition number, 35–38
 - relative perturbation theory, 35–38

- sparse Cholesky, 79–83
- sparse Gaussian elimination, 79–83
- sparse matrices, 79–83
- SSOR, *see* symmetric successive overrelaxation
- successive overrelaxation, 279, 283–294
- symmetric matrices, 76
- symmetric positive definite, 74–76
- symmetric successive overrelaxation, 279, 294–300
- Toeplitz matrices, 85
- Vandermonde matrices, 83
- LINPACK, 62, 64
 - spofa, 62
 - benchmark, 73, 86
- LR iteration, 243, 263
- Lyapunov equation, 188

- machine epsilon, machine precision, macheps, 11
- mass matrix, 143, 179, 255
- mass-spring system, 142, 174, 179, 182, 183, 196, 209, 254
- Matlab, 6, 57
 - cond, 53
 - eig, 179, 185, 211
 - fft, 328
 - hess, 165
 - pinv, 117
 - polyfit, 102
 - rcond, 53
 - roots, 183
 - schur, 185
 - speig, 388
 - bisect.m, 30
 - clown, 114
 - eigscat.m, 150, 189
 - FFT, 359
 - homework, 28, 30, 91, 134, 138, 189–191, 358–360
 - iterative methods for $Ax = b$, 266, 301
 - Jacobi’s method for $Ax = b$, 282, 358
 - Lanczos method for $Ax = \lambda x$, 369, 377, 384
 - least squares, 121, 129
 - massspring.m, 144, 197
 - multigrid, 337, 360
 - notation, 1, 41, 42, 91, 92, 251, 327
 - pivot.m, 50, 55, 56, 61
 - Poisson’s equation, 275, 358, 359
 - polyplot.m, 29
 - qrplt.m, 161, 190
 - QRStability.m, 134
 - RankDeficient.m, 129
 - RayleighContour.m, 201
 - sparse matrices, 82
- matrix pencils, 173
 - regular, 173
 - singular, 173
- memory hierarchy, 63
- MGS, *see* Gram–Schmidt orthogonalization process, modified
- minimum residual algorithm, 320
- MINRES, *see* minimum residual algorithm
- model problem, 265–276, 285–286, 300, 314, 319, 324, 325, 328, 331, 348, 360, 361
 - diagonal dominance, 288, 290
 - irreducibility, 290
 - red-black ordering, 291
 - strong connectivity, 289
 - summary of methods, 277–279
 - symmetric positive definite, 291
- Moore–Penrose pseudoinverse, *see* pseudoinverse
- multigrid, 331–348, 357, 360
 - model problem, 277
- NETLIB, 86

- Newton's method, 58, 219, 221, 231, 300
- nonsymmetric eigenproblem, 139
 - algorithms, 153–173
 - condition number, 148
 - eigenvalue, 140
 - eigenvector, 140
 - equivalence transformation, 175
 - generalized, 173–184
 - algorithms, 184
 - ill-posedness, 148
 - invariant subspace, 145
 - inverse iteration, 155
 - inverse power method, *see* inverse iteration
 - matrix pencils, 173
 - nonlinear, 182
 - orthogonal iteration, 156
 - perturbation theory, 148
 - power method, 154
 - QR iteration, 160
 - regular pencil, 173
 - Schur canonical form, 146
 - similarity transformation, 141
 - simultaneous iteration, *see* orthogonal iteration
 - singular pencil, 173
 - software, 153
 - subspace iteration, *see* orthogonal iteration
 - Weierstrass canonical form, 175
- normal equations, 105, 106, 118, 135, 136, 320
 - backward stability, 118
- norms, 19
- notation, 1
- null space, 111
- ODEs, *see* ordinary differential equations
- ordinary differential equations, 175, 177, 184, 185
 - impulse response, 178
 - overdetermined, 181
 - underdetermined, 181
 - with algebraic constraints, 178
- orthogonal iteration, 156
- orthogonal matrices, 22, 74, 118, 126, 131, 160
 - backward stability, 124
 - error analysis, 123
 - Givens rotation, 119
 - Householder reflection, 119
 - implicit Q theorem, 168
 - in bidiagonal reduction, 167
 - in definite pencils, 179
 - in generalized real Schur form, 179
 - in Hessenberg reduction, 164
 - in orthogonal iteration, 156
 - in Schur form, 147
 - in symmetric QR iteration, 213
 - in Toda flow, 256
 - Jacobi rotations, 232
- PARPRE, 319
- PCs, 10
- pencils, *see* matrix pencils
- perfect shuffle, 240, 263
- perturbation theory, 2, 4, 7, 17
 - generalized nonsymmetric eigenproblem, 180
 - least squares, 101, 117, 125
 - linear equations, 31, 32, 44, 49
 - nonsymmetric eigenproblem, 79, 139, 141, 148, 180, 187, 189
 - polynomial roots, 28
 - rank-deficient least squares, 125
 - relative, for $Ax = \lambda x$, 195, 198, 207–210, 212, 242, 245–247, 249, 260, 263
 - relative, for $Ax = b$, 32, 35–38, 60
 - relative, for SVD, 207–210, 246–251
 - singular pencils, 180
 - symmetric eigenproblem, 195, 197, 207, 261, 263, 367

- pivoting, 41
 - average pivot growth, 86
 - band matrices, 77
 - by column in QR decomposition, 130
 - Cholesky, 76
 - Gaussian elimination with complete pivoting (GECP), 49
 - Gaussian elimination with partial pivoting (GEPP), 49, 132
 - growth factor, 49, 59
- Poisson's equation, 266–279
 - in one dimension, 267–270
 - in two dimensions, 270–279
 - see also model problem, 265
- polynomial
 - characteristic, *see* characteristic polynomial
 - convolution, 326
 - evaluation, 34, 83
 - at roots of unity, 326
 - backward stability, 16
 - condition number, 15, 16, 24
 - roundoff error, 15, 46
 - with Horner's rule, 7, 15
 - fitting, 101, 138
 - interpolation, 83
 - at roots of unity, 326
 - multiplication, 326
 - zero finding
 - bisection, 7
 - computational geometry, 191
 - condition number, 28
- power method, 154
- preconditioning, 317, 352–356, 388
- projection, 189
- pseudoinverse, 117, 127, 136
- pseudospectrum, 190
- qds algorithm, 243
- QMR, *see* quasi-minimum residuals
- QR algorithm, *see* QR iteration
- QR decomposition, 105, 107, 131, 147
 - backward stability, 118, 119
 - block algorithm, 137
 - column pivoting, 130
 - in orthogonal iteration, 157
 - in QR flow, 258
 - in QR iteration, 163, 170
 - rank-revealing, 132, 134
 - underdetermined least squares, 136
- QR iteration, 160, 190, 210
 - backward stability, 119
 - bidiagonal, 242
 - convergence failure, 173
 - Hessenberg, 163, 165, 184, 213
 - implicit shifts, 167–173
 - tridiagonal, 211, 212, 236
 - convergence, 214
- QRD, *see* QR decomposition
- quasi-minimum residuals, 321
- quasi-triangular matrix, 147
- range space, 111
- Rayleigh quotient, 198, 205
 - iteration, 211, 215, 262, 364
- Rayleigh–Ritz method, 205, 261, 364
- red-black ordering, 283, 291
- relative perturbation theory
 - for $Ax = \lambda x$, 207–210
 - for $Ax = b$, 35–38
 - for SVD, 207–210, 246–249
- roundoff error, 2, 4, 5, 10, 11, 301
 - bisection, 30, 230
 - block cyclic reduction, 330
 - conjugate gradients (CG), 317
 - Cray, 13, 26
 - dot product, 25
 - Gaussian elimination, 25, 44, 57
 - geometric modeling, 193
 - in logarithm, 25
 - inverse iteration, 231
 - iterative refinement, 58

- Jacobi's method for $Ax = \lambda x$, 253
 - Jacobi's method for the SVD, 251
 - Jordan canonical form, 146
 - Lanczos algorithm, 305, 364, 369, 377, 378, 381
 - matrix multiplication, 25
 - orthogonal iteration, 157
 - orthogonal transformations, 101, 123
 - polynomial evaluation, 15
 - polynomial root finding, 30
 - QR iteration, 164
 - rank-deficient least squares, 125, 127, 128
 - rank-revealing QR decomposition, 131
 - simulating quadruple precision, 27
 - substitution, forward or back, 26
 - SVD, 241, 247
 - symmetric eigenproblem, 191
- ScaLAPACK, 61, 72
- ARPACK, 385
 - PARPRE, 319
- Schur canonical form, 3, 140, 146–148, 152, 158, 160, 163, 175, 178, 180, 184, 185
- block diagonalization, 188
 - computing eigenvectors, 148
 - computing matrix functions, 187
 - for real matrices, 147, 163, 184, 213
 - generalized for real regular pencils, 179, 185
 - generalized for regular pencils, 178, 180, 185
 - generalized for singular pencils, 180, 185
 - solving Sylvester or Lyapunov equations, 188
- Schur complement, 91, 351
- secular equation, 219
- SGI symmetric multiprocessor, 62, 82, 84
- shifting, 155
- convergence failure, 173
 - exceptional shift, 173
 - Francis shift, 172
 - in double shift Hessenberg QR iteration, 163, 170, 172
 - in QR iteration, 161, 172
 - in single shift Hessenberg QR iteration, 168
 - in tridiagonal QR iteration, 213
 - Rayleigh quotient shift, 215
 - Wilkinson shift, 213
 - zero shift, 242
- similarity transformation, 141
- best conditioned, 153, 187
- simultaneous iteration, *see* orthogonal iteration
- singular value, 109
- algorithms, 237–254
- singular value decomposition, *see* SVD
- singular vector, 109
- algorithms, 237–254
- SOR, *see* successive overrelaxation
- sparse matrices
- direct methods for $Ax = b$, 79–83
 - iterative methods for $Ax = \lambda x$, 363–389
 - iterative methods for $Ax = b$, 265–361
- spectral projection, 189
- splitting, 279
- SSOR, *see* symmetric successive overrelaxation
- stiffness matrix, 143, 179, 255
- Strassen's method, 68
- strong connectivity, 289
- subspace iteration, *see* orthogonal iteration

- substitution (forward or backward),
3, 38, 44, 48, 86, 177, 188
error analysis, 26
- successive overrelaxation, 279, 283–
294, 357
model problem, 277
- SUN
 - symmetric multiprocessor, 62,
82
 - workstations, 10, 14
- SVD, 105, 109–117, 134, 136, 174,
195
algorithms, 237–254, 260
backward stability, 118, 119, 128
reduction to bidiagonal form, 166,
240
relative perturbation theory, 207–
210
underdetermined least squares,
136
- Sylvester equation $AX - XB = C$,
188, 358
- Sylvester’s inertia theorem, 202
- symmetric eigenproblem, 195
algorithms, 210
bisection, 211, 260
condition numbers, 197, 207
Courant–Fischer minimax the-
orem, 199, 261
definite pencil, 179
divide-and-conquer, 13, 211, 217,
260
inverse iteration, 211
Jacobi’s method, 212, 232, 260
perturbation theory, 197
Rayleigh quotient, 198
Rayleigh quotient iteration, 211,
215
relative perturbation theory, 207
Sylvester’s inertia theorem, 202
tridiagonal QR iteration, 211,
212
- symmetric successive overrelaxation,
279, 294–300
model problem, 277
- SYMMLQ, 320
- templates for $Ax = b$, 266, 279, 301
- Toda flow, 256, 260
- Toda lattice, 255
- Toeplitz matrices, 85
- transpose, 1
- tridiagonal form, 119, 166, 179, 232,
236, 237, 244, 247, 256, 308,
330
bisection, 228–232
block, 293, 359
divide-and-conquer, 217
in block cyclic reduction, 330,
331
in boundary value problems, 78
inverse iteration, 228–232
nonsymmetric, 321
QR iteration, 211, 212
reduction, 163, 166, 197, 213,
236, 253
using Lanczos, 303, 304, 320,
321, 366, 389
relation to bidiagonal form, 240
- unitary matrices, 22
- Vandermonde matrices, 83
- $\text{vec}(\cdot)$, 274
- Weierstrass canonical form, 173, 175,
176, 178, 180, 181, 185, 187
solving differential equations, 176